

Video Doorbell

URDB1



Key Features



Crystal-Clear 1080P HD Video




Wi-Fi Connection



Noise-Free Two-Way talk



Adjustable Human Body Detection



Instantaneous Alert and Answer



Infrared Night Vision



IP65 Weather-Resistant






Security System Compatible



Specifications

| | | |
|------------------|------------------------|-------------------------------------------------------------------------------------|
| Camera | Sensor | 2.0 megapixel, progressive scan, CMOS |
| | Lens | 2.0mm@F2.0 |
| | Angle of View (H) | 160° |
| | Angle of View (V) | 83° |
| | Minimum Illumination | Colour: 0.02Lux (F2.0, AGC ON) 0Lux with IR on |
| | Day/Night | IR-cut filter with auto switch (ICR) |
| | IR Range | Up to 5m (16ft) IR range |
| | WDR | DWDR |
| Video | Video Compression | H.265, H.264 |
| | H.264 code profile | Baseline Profile, Main Profile |
| | Frame Rate | Main Stream: 1080P (1920*1080), Max 25fps; Sub Stream: 4CIF (704*576), Max 25fps |
| | Human Body Detection | Supported |
| Storage | Edge Storage | Micro SD, up to 128GB |
| Wi-Fi | Wireless Standards | IEEE 802.11b/g/n |
| | Frequency Range | 2.4GHz ~ 2.4835GHz |
| Interface | Built-in Mic | Supported |
| | Built-in Speaker | Supported |
| | Audio Compression | G.711 |
| | Sampling Rate | 8kHz |
| | Indicator light | Supported |
| General | Power | AC 16-24V and DC 12V Power consumption: Max 5.5W |
| | Dimensions (L × W × H) | 46.8 × 23.5 × 123.2mm (1.8" × 0.9" × 4.9") |
| | Weight | 0.11kg (0.24lb) |
| | Working Environment | -30°C ~ 50°C (-22°F ~ 122°F), Humidity: ≤95% RH(non-condensing) |
| | Ingress Protection | IP65 |
| | Reset Button | Supported |
| | Call Button | Supported |

Dimensions



Zhejiang Uniview Technologies Co., Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China (310051)

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2019 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.